

**S.C. RHINO SAFETY S.R.L.**

str. Mihai Eminescu nr. 10, Bacau, Romania

Tel: (004) 0725-70.84.84;

E-mail: bucuresti@rhinosafety.ro

www.rhinosafety.ro

FISA TEHNICA

Manusi de protectie din piele, articol Goliat (cod produs: LISP-502/R)

Producator: Leather International Safety Products

EN388:1995

EN420:1995

rezistenta la abraziune:		4
rezistenta la taiere:		3
rezistenta la rupere:		4
rezistenta la perforare:		4

Palma	Fata dorsala	Manseta, Ajustare
piele spalt bovina	piele spalt bovina	bumbac intarit
grosime 1,2-1,3mm,	tesatura bumbac	
intaritura in palma si pe degetul mare		
Marimi	Culoare	Ambalare
10	galben/alb/verde	12 per./pach.

SC.RHINO SAFETY S.R.L.
600258, Bacau, Str.Mihai Eminescu,nr.10
Tel: 0334.100.475; 0334.100.306

Cod fiscal: RO26686981; J04/275/2010
Cont:RO66INGB0008008200148917
Banca: ING BANKBacau



Traducere din limba engleză

LEATHER INTERNATIONAL SAFETY PRODUCTS

07/03/2023

ISO 9001:2015

Declaratie de Conformitate UE

TIP PRODUS: MANUSI

Ref.....

Date.....

Producatorul: Leather International Safety Products

Village: Krolberia; P.O.:Beyonta. Kolkata Leather Complex; South 24 Pgs. India- 743502

Informatii despre cumparator: Rhino Safety SRL, str Mihai Eminescu, nr 10, 600258 Bacau (Bc), Romania

Acesta declaratie de conformitate este emisa sub responsabilitatea exclusiva a Leather International Safety Products.

Articole:

- 1) Art. Nr.: STAR CLASSIC- Manusi albe de protectie mecanica din piele integrala de bovina, grosime de la 0.8 mm la 1.0 mm
- 2) Arts Nr.: STAR - Manusi albe de protectie mecanica din piele intergrala de bovina , grosime de la 0.8 mm la 1.0 mm
Manseta albastra, cu blister.
- 3) Arts Nr: STAR T- Manusi albe de protectie mecanica din piele intergrala de bovina, grosime de la 0.8 mm la 1.0 mm
Arts Nr.: STAR COMBI – Manusi albe de protectie mecanica din piele si spalt de bovina cu grosimea de la 0.8 mm la 1.1 mm
- 4) Art Nr. : GOLIAT – Manusi lacatus din spalt natural de bovina cu intaritura din spalt verde in palma si dos textil galben, manseta cu intaritura din bumbac.
- 5) Art Nr. : GOLIAT BL - Manusi lacatus din spalt natural de bovina cu intaritura din spalt verde in palma si dos textil galben, manseta cu intaritura din bumbac cu blister
- 6) Art Nr. : DRIVER S- Manusi galbene de protectie mecanica, grosime de la 0.9 mm la 1.1 mm. Manseta albastra tivita, cu blister.
- 7) Art Nr.: DRIVER S T- Manusi galbene de protectie mecanica, grosime de la 0.9 mm la 1.1 mm. Manseta albastra tivita.
- 8) Art. Nr: SUDOR CLASIC- Manusi sudor din spalt natural de bovina cu manseta de 15 cm, lungime 35 cm, cu protectia incheieturii si blister
- 9) Arts Nr: SUDOR CLASIC T- Manusi sudor din spalt natural de bovina cu manseta de 15 cm, lungime 35 cm, cu protectia incheieturii
- 1) Arts Nr.: GENERAL EL -Manusi albe pentru protectie mecanica , cu dos tricatat de culoare albastra si manseta reglabila cu Velcro
- 12) Art. Nr.: GENERAL -Manusi albe pentru protectie mecanica cu manseta si spate tricatat de culoare gri.
- 13) SUDOR STANDARD – Manusi rosii de iarna din spalt, pliabile cu o margine neagra, lungime 35 cm, captuseala antitermica din bumbac.
- 14) SUDOR KEVLAR – Manusi rosii de iarna din spalt bovina, pliabile cu o margine neagra , lungime 35 cm si captuseala antitermica din bumbac.

Produsul de mai sus este in conformitate cu regulamentul (UE) 2016/425 si este identic cu EIP care face obiectul certificatului UE ITASLNB21021437; ITASLNB21021436; ITASLNB21022383 emis de:

INTERTEK Italia S.p.A., Via Guido Miglioli 2/A, 20063 Cernusco sul Naviglio - Milano (MI), Italy
Organismul Notificat Nr: 2575

Standardele armonizate relevante / Specificatiile tehnice utilizate la care se declara conformitatea:
EN388:2016+A1:2018; EN ISO 21420:2020; EN407:2020; EN12477:2001+A1:2005; Semnat pentru si in numele:
Leather International Safety Products.

Nume: Satyajit Pahari

Semnatura: Leather International Safety Products

Leather International Safety Products
Satyajit Pahari
Global Sales Head



Beside Kolkata Leather Complex, 24 Parganas(s)

Village: Krolberia, P.O. - Beyonta,

West Bengal, Pin: 743502,

Phone +9132 18278166

Email: lisafetyproducts@live.com

Web Address: www.lisafetyproducts.com



LEATHER INTERNATIONAL SAFETY PRODUCTS

07/03/2023

ISO 9001:2015 EU Declaration of Conformity

PRODUCT TYPE: GLOVES

Ref.....

Date.....

MANUFACTURER: Leather International Safety Products

Village: Krolberia; P.O.:Beyonta. Kolkata Leather Complex; South 24 Pgs. India- 743502

Buyer information: Rhino Safety SRL, str Mihai Eminescu, nr 10, 600258 Bacau (Bc), Romania

This Declaration of Conformance is issued under the sole responsibility of Leather International Safety Products.

Style: --

- 1) Art. No. : STAR CLASSIC- White grain Leather driving gloves, four tips, thickness 0.8 mm to 1.0
- 2) Arts No.: STAR - White grain leather driving gloves, four tips, thickness 0.8 mm to 1.1 mm. Blue Tape binding with header card
- 3) Arts No.: STAR T- White grain leather driving gloves, four tips, thickness 0.8 mm to 1.1 mm
- 4) Arts No. : STAR COMBI - White Cow grain Leather & Natural Split Leather combined driving gloves thickness 0.8 mm to 1.1 mm
- 5) Art No. : GOLIAT - Natural Split leather working gloves with green split leather reinforcement , yellow drill cuff back , both side tape binding , tickely, patty single stitch with header card
- 6) Art No. : GOLIAT BL - Natural Split leather working gloves with green split leather reinforcement , yellow drill cuff back , both side tape binding , tickely, patty single stitch
- 7) Art No. : DRIVER S- Yellow cow grain leather driving gloves, four tips, thickness 0.9mm to 1.1 mm Blue tape binding with header card.
- 8) Art No. : DRIVER S T- Yellow cow grain leather driving gloves, four tips, thickness 0.9mm to 1.1 mm Blue tape binding.
- 9) Arts No : SUDOR CLASIC- Natural cow split leather welding gloves with 15 cm cuff with puise guard ,35 cm long, with header card
- 10) Arts No : SUDOR CLASIC T- Natural cow split leather welding gloves with 15 cm cuff with pulse guard
- 11) Arts No.: GENERAL EL - White grain leather driving gloves three tips, with blue color knitted cuff back and adjustable velcro
- 12) Arts No.: GENERAL - White grain leather driving gloves four tips, with grey color knitted cuff back
- 13) SUDOR STANDARD - Red split leather winter gloves, edge folding, black less, 35 cm long
- 14) SUDOR KEVLAR - Red split leather winter gloves, edge folding, black less 35 cm long denim & flannel lining.

The above product is in conformity with the regulation (EU) 2016/425 and is identical to the PPE which is subject of EU certificate ITASLNB21021437; ITASLNB21021436; ITASLNB21022383 issued by

INTERTEK talia S.p.A., Via Guido Miglioli 2/A, 20063 Cernusco sul Naviglio - Milano (MI), Italy

Notified Body No: 2575

Relevant Harmonized Standards / Technical Specifications used to which conformity is declared:

EN388:2016+A1:2018; EN ISO 21420:2020; EN407:2020; EN12477:2001+A1:2005; Signed for on behalf of Leather International Safety Products.

Name: Satyajit Pahari

Sign: Leather International Safety Products

Leather International Safety Products
Satyajit Pahari.
Global Sales Head



Beside Kolkata Leather Complex, 24 Parganas(s)

Village: Krolberia, P.O. - Beyonta,

West Bengal, Pin: 743502,

Phone :+9132 18278166

Email: lisafetyproducts@live.com

Web Address: www.lisafetyproducts.com

NOTA INFORMATIVA Art.LISP-502/RGOLIAT

Va rugam sa cititi aceasta nota inainte de utilizare siintretinere.Informatiile continute in acest document este de a asista pe utilizator in alegerea sa.Responsabilitatea nu este asumata de utilizator sau distirbuitor in cazul folosirii incorecte a produsului.Nota informativa trebuie pastrata pe toata durata produsului

Art.LISP-502/R GOLIAT

ETICHETA PRODUCATORULUI



Marcajul CE indică faptul că

cerintele

tecite in conformitate cu

siguranta in

esentiale de santate si

directiva 89/686/CEE

MASURI

Dimensiuni de referintă-Dimensiuni in conformitate cu EN 420

10	10
----	----

Manusile indeplinesc caracteristicile de siguranta doar daca masura corespunzatoare este utilizata corect.

DOMENIU DE UTILIZARE


Manusile sunt fabricate pentru a proteja utilizatorul impotriva riscurilor mecaince cum ar fi abraziune,taiere,lichide si perforatii

A nu se folosi in contact cu lichide.Capacitatea protectiva se refera la palma manusii.

POCTOGRAME SI NIVELURI DE PROTECTIE

RISCURI MECANICE

Abraziune	3
Taiere	1
Lichide	4
Perforatii	4



X:manusile nu sunt testate pentru aceste caracteristici.

O:nu a atins nivelul minim.

Din moment ce nivelurile de performanta se bazeaza pe rezultatele testelor de laborator,acestea pot fi diferite de conditiile de la locul de muncă.Trebuie sa verificati apoi manusile pentru a vedea daca sunt de fapt potrivite

destinatiei lor.Characteristicile de protectie se refera la DPI noi,in stare buna si nu supuse unor tratamente de curatare.

UTILIZARE

Inainte de utilizare,trebuie sa ne asiguram ca manusile sunt in stare bună:nu nereferim la tăieturi,găuri, fisuri,etc....Daca aceste conditii nu sunt indeplinite manusile trebuie inlocuite imediat.Manusile ar trebui sa fie folosite numai pentru riscurile mentionate in aceasta nota informativa.Evitati utilizarea DPI in vecinatatea unor piese in miscare in care ar putea sa se prinda.

CURATARE

Se recomanda ca zona de curatare sa se faca prin mijloace mecanice nonagresiv, ca o perie moale de materie vegetala sau sintetica,excluzind manusile de natura metalica care le-ar putea compromite.

DEPOZITARE

Manusile sunt ambalate in pungi de polietilena.Manusile ar trebui sa fie depozitate in ambalajul original intr-un loc curat,uscat,departe de caldura si de lumina directa a soarelui.Daca stocarea se face cum este indicat,manusile vor pastra caracteristicile lor,pentru o lunga perioada de timp.Utilizatorul trebuie sa faca o verificare vizuala a integritatii manusilor inainte de darea in folosinta.Durata de folosire depinde de utilizarea si de ingrijirea pe care le obtin de la utilizator.

NOTA

Manusile ar trebui sa fie eliminate in conformitate cu normele locale in vigoare(depozit de deseuri si incinerator).Posibila prezenta a unor substante alergene nu sunt cunoscute fabricantului.Va rugam sa raportati orice cazuri observate de hipersensibilitate sau reactii alergice.Acest lucru dpi,in prezenta unor defecte de fabricatie va fi inlocuit.